

CRYSTAL MOUNTAIN



STORM CAFE
Water and Coffee Dispenser

STORM CAFÉ

Water and Coffee Dispenser



The Storm Café, is the latest evolution of the successful Storm family of water coolers. Already known for quick and simple cleaning and sanitization (utilizing the SmartFlo™ reservoir technology), the Storm Café has been updated to include recessed faucets, a new fascia with additional lighting options, a coffee pod brewer, and an updated SmartFlo™. With the looks you want and the features you need, the Storm Café is sure to find a home in any environment.

Features

- Storm cooler – configured with a coffee brewer
- Extremely quiet brewing cycle and dispensing
- Brewer options include 6, 8 or 10 oz cup sizes
- Patented Removable Café Brewer head for ease of cleaning in your dishwasher
- Hot water is maintained at optimum temperature for brewing hot beverages, no waiting required
- SmartFlo™ Water Cartridge – replacing is simple, quick and hygienic
- Quality, commercial-grade construction
- Optional Cup Dispenser available, mounts to the rear of the cooler in seconds
- Integrated cup stand
- UL Certified to NSF372
- ENERGY STAR™ certified
- The unit can be converted to POU/mains fed using a conversion kit



STORM CAFE

Water and Coffee Dispenser

SmartFlo™ Water Cartridge

Simple: All cold water contact points are exchanged

Quick: All cold water contact points are exchanged

Hygienic: All cold water contact points are exchanged



Performance and specifications

General

Air cooled, bottled type water cooler

Cooler Cabinet

Standard colour in black. Other colours available for high volume orders.

Faucet Type

Covered mechanical style faucet system with replaceable water contact components (via SmartFlo™ Water Cartridge), and a recessed dispensing point to protect from contamination, are extra durable and add to the stylish presentation.

Item		Specifications
Power rating		Single phase 100-115VAC 60Hz
Standard current		Hot & Cold: 9.5A
Power	Cold	70W
Consumption	Hot	1000W
Cold	Compressor	Single phase motor
	Refrigerant	R134a
	Temp range	4 -10°C (39.2-50°F)
	Temp control	thermostat (ON 8 °C ±1.5°C, OFF 4 °C ±1.5°C)
Hot	Volume of Cold Reservoir	1.6L(0.4 us gal)
	Heater	Internal heater
	Temp range	92°C (197.6°F)
	Safety device	Bimetal (Manual reset: 115 °C OFF)
	Temp control	Bimetal (95°C)(203°F)
Capacity (Internal Heater)		1.1L(0.3 us gal)
	Refrigerant charge	32g (1.13 oz)
Product weight		Hot & Cold: 14.72kg (32.5 lb)
Product boxed weight		Hot & Cold: 15.82kg (34.9 lb)
Product dimensions		320(W) X 340(D) X 1147(H)mm
		12.6"(W) X 13.4"(D) X 45.2"(H)
Product boxed dimensions		340(W) X 380(D) X 1198(H)mm
		13.4" (W) X 15.0" (D) X 47.2" (H)
Loading quantity		20' Container: 204 Units
		40' Container: 420 Units
IEC protection class		Class 1
Certifications		UL, EnergyStar, NSF372
Warranty		Three year



Works only With
Certified K Cup Pods



Easy to clean - Top rack
dishwasher safe



Raised cup holder folds out for
use with smaller cups or mugs



Replaceable Reservoir
System SmartFlo™ Water Cartridge



Crystal Mountain Products Limited

North American Sales Office

200 Carnegie Drive, Suite 234

St. Albert, AB, T8N 5A7 Canada

Tel: 1 780 454 4545

E-mail: sales@crystalcoolers.com



www.crystalcoolers.com

Crystal Mountain has a policy of continuous development and reserves the right to change specifications without notification.

Copyright 2022 Crystal Mountain Products Limited | All Rights Reserved

